Barr. J. W.

Crypt. Tracts.

23 MAR 1899

CAB INTERNATIONAL
MYCOLOGICAL INSTITUTE
LIBRARY
21 MAY 1991
CARD

"Nottinghamshire

[EXTRACTED FROM THE PROCEEDINGS OF THE NOTTINGHAM NATURALISTS' SOCIETY FOR 1897-8.]

Nottinghamshire Fungi.

By J. W. CARR, M.A., F.L.S.

THE Mycology of Nottinghamshire has until quite recently been a much neglected study, and although various references to the Fungi of the county exist, the records chiefly occur in obscure publications which are not readily accessible and are almost unknown to the majority of workers in the subject. Our previous knowledge of this interesting group of Cryptogamic plants has been greatly augmented by the work done in Sherwood Forest in September 1897, by the members of the British Mycological Society, and it may be of use to future workers to take a survey of the present state of our knowledge of Nottinghamshire Fungology.

The earliest writer on local Fungi was the talented Nottingham physician, botanist and historian, Charles Deering, who, in his remarkable work "Catalogus Stirpium, etc.," published in 1738, enumerates some 100 or more species as occurring in the neighbourhood of Nottingham. In the absence of figures or descriptions it is however impossible in the great majority of cases to determine with any certainty the modern equivalents of Deering's names; and his records, with a few exceptions, do not therefore appear in the subjoined list.

During the next hundred years a few references to Fungi appear in local works, the most important being those by Thomas Jowett, a Nottingham surgeon, who, under the pseudonym of "Il Rosajo," published a series of "Botanical Calendars" in the *Nottingham Journal* for 1826. Those of his records which can be determined without any doubt are noted below.

In 1832 and 1833 the eminent Mycologist M. J. Berkeley seems to have spent some time in Nottinghamshire, and noticed a number of Fungi, several of which were new to science. These he describes in his work on British Fungi which forms Vol. V., Part 2 of Smith's *English Flora*.

Nothing further seems to have been done until 1875, in which year John Bohler contributed to White's "Worksop, The Dukery, and Sherwood Forest" an extensive list of the Fungi of that district; and a further account of the Mycology of North

23 MAR 1899

Nottinghamshire is given by the Rev. Hilderic Friend in the Transactions of the Nottingham Naturalists' Society for 1886. In this paper most of Bohler's records are repeated, and a number of new species noted.

In September 1897, the British Mycological Society held its annual meeting at Worksop, and devoted four days to the systematic investigation of the Fungi of Sherwood Forest. A glance down the appended list will show how greatly our knowledge of the Fungus-flora of the district has been extended by that visit. All the specimens gathered on this occasion were submitted for identification to Mr. George Massee, Dr. C. B. Plowright, or Mr. Carleton Rea, B.C L., M.A., three well-known Mycologists who were present at the meeting. Lists of the species found were drawn up for me by Mr. C. Rea, Mr. A. Clarke, and Mr. C. T. M Plowright, and to these gentlemen my warm thanks are due To Mr. Rea I cannot sufficiently acknowledge my indebtedness, not only for his valuable assistance on this occasion, but also for naming all my subsequent gatherings of Fungi from the neighbourhood of Nottingham, which are recorded below.

The subjoined list includes only the Basidiomycetous Fungi (Gastromycetes and Hymenomycetes). The other groups are still so imperfectly known that it was thought better to omit them from the present paper.

The arrangement and nomenclature are those of Mr. G. Massee, in his "British Fungus Flora."

All species collected by the members of the British Mycological Society in Sherwood Forest are indicated by the letters *B.M.S.*

A few species recorded by Messrs. Bohler and Friend require confirmation before they can be definitely accepted as Notts. species; these are printed in italics.

BASIDIOMYCETES.

GASTROMYCETES.

Scleroderma vulgare Fr. ..Sherwood Forest, general, *B.M.S.*, North Notts., *Bohler; Friend.*

,, **verrucosum** Pers. Sherwood Forest, general, *B.M.S.*

,, *bovista Fr.* ..North Notts., *Bohler; Friend.*

Crucibulum vulgare Tul. . Birklands, *B.M.S.* North Notts., *Bohler; Friend.*

Sphaerobolus stellatus Tode. Sherwood Forest, general, *B.M.S.* Plentiful near Worksop, 1886. *H. Friend.*

Lycoperdon excipuliforme Scop. ..Sherwood Forest, general, *B.M.S.* Granby; Grives Wood, Kirkby, 1897–8; *Carr.*
,, saccatum Vahl. ..North Notts., *Bohler; Friend*
,, gemmatum Batsch. Sherwood Forest, general, *B.M.S* North Notts., *Bohler; Friend.*
,, pyriforme Schæff. Sherwood Forest, general, *B.M.S.* North Notts., *Bohler; Friend.* Wollaton, Edwalton, Kirkby-in-Ashfield, 1897-8; *Carr.*
,, perlatum Pers. ..Sherwood Forest, general, *B.M.S.* Colwick Wood, Nov. 1898; *Carr.*
,, caelatum Bull. ..Sherwood Forest, general, *B.M.S.* North Notts., *Bohler; Friend* Epperstone Park, *Carr.*
,, bovista L. .. ..Sherwood Forest, general, *B.M.S.* North Notts., *Bohler; Friend.* (Recorded by Deering, Cat. Stirp., p. 87, No. 4.)
,, plumbeum Pers. ..Sherwood Forest, general, *B.M.S.* North Notts., *Bohler; Friend.*
,, nigrescens Vitt. ..North Notts., *Bohler; Friend*
,, pusillum Fr. ..North Notts., *Bohler; Friend.*
Geaster limbatus Fr... ..Lark-dale, Nottingham; *Jowett*, 1826.
,, fornicatus Fr. ..North Notts., *Bohler; Friend.*
(?) Tulostoma mammosum Fr. Colwick Wood, *Deering, Cat. Stirp.*, p. 87, No. 7.
Ithyphallus impudicus Fisch. Sherwood Forest, general, *B.M.S.* North Notts., *Bohler; Friend.* (Basford, *Deering.*)
Mutinus caninus Fr. ..Welbeck and Thoresby, *B.M.S.* Clumber, *Bohler.* Sparken Hill, Worksop; *Friend.*

HYMENOMYCETES.

Auricularia mesenterica Fr. Sherwood Forest, general, *B.M.S.* North Notts., *Bohler; Friend.* Colwick, Dec. 1898; *Carr.*
Hirneola auricula-judæ Berk. Welbeck Park, *B.M.S.* North Notts., *Bohler; Friend.* Colwick, Bramcote, Strelley, Epperstone Park, 1897; *Carr.* (Sneinton, *Deering.*)
Exidia glandulosa Fr. ..North Notts., *Bohler; Friend.*
,, albida Bref. .. ..North Notts., *Bohler; Friend.*
Ulocolla foliacea Bref. ..North Notts, *Bohler; Friend.*
Tremella frondosa Fr. ..North Notts., *Bohler; Friend.*
,, mesenterica Retz. ..North Notts., *Bohler; Friend.*
,, viscosa Berk. ..North Notts., *Bohler; Friend*
,, versicolor Berk. ..North Notts., *Bohler; Friend.*
,, tuberculaia Berk. ..North Notts., *Bohler; Friend.*
,, sarcoides Sm. (The conidial stage of *Ombrophila sarcoides*) .. ..North Notts., *Bohler; Friend.* Colwick Wood, with *O.sarcoides*, Nov. 15th, 1898; *Carr.*

Dacryomyces deliquescens Duby. Sherwood Forest, general, *B.M.S.* North Notts., *Friend.*

,, stillatus Nees. ..Welbeck and Thoresby demesnes, *B.M.S.* North Notts., *Friend.* Bramcote; *Carr.*

Calocera viscosa Fr. .. ..Sherwood Forest, general, *B.M.S.* Budby Carr; Bramcote; *Carr.*

Clavaria fastigiata L. .. ..Budby North Forest, Dec. 10th, 1898; *Carr.*

,, muscoides L. ..Sherwood Forest, general, *B.M.S.* (Colwick Wood, *Deering*, *Cat. Stirp.*, p. 76, No. 9. ?)

,, coralloides L. ..North Notts., *Bohler; Friend.* (Marshall Hills, Nottingham; *Deering*, l.c., p. 76, No. 8. ?)

,, cinerea Bull... ..Sherwood Forest, general, *B.M.S.* North Notts., *Friend.*

,, cristata Holmsk. ..Sherwood Forest, general, *B.M.S.* North Notts., *Friend.*

,, rugosa Bull. .. ..Sherwood Forest, general, *B.M.S.* North Notts., *Bohler*; *Friend.* (Morton; *Jowett*).

,, Kunzei Fr. .. ..Sherwood Forest, *Cooke*, *Handb. Br. Fungi*, p. 333.

,, *crocea Pers.* .. ..North Notts., *Friend.*

,, fragilis Holmsk. ..Welbeck Park, *B.M.S.* North Notts., *Friend.*

,, uncialis Grev. ..North Notts., *Friend.*

,, pistillaris L. ..North Notts., *Bohler; Friend.* (Nottingham, *Deering*, p. 75, No. 1. ?)

Pistillaria tenuipes Mass. ..Sherwood Forest, *Bohler*; and *Cooke*, *Br. Fungi*, p. 336.

Coniophora olivacea Mass. ..North Notts, *Bohler; Friend.*

,, sulphurea Mass. ..Birklands, *B.M.S.*

,, puteana Mass. ..Sherwood Forest, general, *B.M.S.*

Thelephora palmata Fr. ..North Notts, *Bohler; Friend.*

,, terrestris Ehrh. ..Clumber Park and Birklands, *B.M.S.* North Notts., *Bohler; Friend.*

,, laciniata Pers. ..Sherwood Forest, general, *B.M.S.* North Notts., *Bohler; Friend.*

Soppittiella sebacea Mass. ..Sherwood Forest, general, *B.M.S.*

,, crustacea Mass. ..Sherwood Forest, general, *B.M.S.*

Peniophora quercina Cooke... Colwick Wood, Nov. 15th, 1898; *Carr.* North Notts., *Bohler; Friend.*

,, gigantea Mass. ..North Notts., *Bohler; Friend.*

,, rosea Mass. ..Thoresby, *B.M.S.*

,, incarnata Mass. ..Sherwood Forest, general, *B.M.S.*

,, ochracea Mass. ..Sherwood Forest, general, *B.M.S.*

,, cinerea Cooke ..Sherwood Forest, general, *B.M.S.*

,, velutina Cooke ..North Notts., *Bohler; Friend.*

Hymenochaete rubiginosa Lév ..North Notts., *Friend.*

Corticium sebaceum Mass. ..Thoresby, *B.M.S.*

,, lacteum Fr. ..North Notts., *Friend.*

,, leve Pers. .. ..North Notts., *Friend.*

,, arachnoideum Berk. Welbeck and Thoresby estates, *B.M.S.* North Notts., *Friend.*

,, sambuci Fr. ..North Notts., *Bohler; Friend.*

Corticium lactescens Berk. ..Described by Berkeley from specimens found by him on Pine stumps at Clifton, Notts., (See. Engl. Fl., vol. 5, p. 169). North Notts , *Friend.*

,, sanguineum Fr. ..Sherwood Forest, general, *B.M.S.* North Notts., *Bohler ; Friend.*

,, coeruleum Fr. ..North Notts., *Bohler ; Friend.*

,, lividum Pers. ..North Notts., *Bohler* ; *Friend.*

,, comedens Fr. ..Sherwood Forest, general, *B.M.S.*

Stereum hirsutum Fr. ..Sherwood Forest, general, *B.M.S* North Notts., *Friend.* Colwick Wood ; Edwalton ; Epperstone Park ; 1897-8, *Carr.* (Colwick Wood, *Deering*).

,, purpureum Pers. ..Sherwood Forest, general, *B.M.S.* North Notts., *Friend.* Colwick Wood, 1897-8 ; *Carr.*

,, sanguinolentum Fr. Edwalton, October 26th, 1898 ; *Carr.*

,, rugosum Fr. .. ..Sherwood Forest, general, *B.M.S.* Bramcote ; Colwick Wood ; 1897-98, *Carr.* (Described as *Thelephora lauro-cerasi* by Berkeley, *Engl. Fl.* v. p. 173, from specimens found on Cherry-laurel at Wollaton, Notts.)

Craterellus cornucopioides Pers. Sherwood Forest, general, *B.M.S.* North Notts., *Friend.*

Cyphella capula Fr. .. ..North Notts., *Friend.*

Solenia anomala Fr. .. ..Sherwood Forest, general, *B.M.S.*

Hydnum repandum L. ..Sherwood Forest, general, *B.M.S.* North Notts, *Bohler ; Friend.* (Morton, *Jowett*).

,, zonatum Batsch ..North Notts., *Bohler ; Friend.*

,, coralloides Scop. ..North Notts., *Friend.*

,, ochraceum Pers. ..Sherwood Forest, general, *B.MS.* In a fir-plantation at Beeston, Notts. ; *Berk. Eng. Fl.* v. 158.

,, viride Fr. .. ..Birklands, *B.M.S.*

,, udum Fr. .. ..Lambley, *Berkeley, Eng. Fl.* v., p. 160.

,, niveum Pers. ..Sherwood Forest, general, *B.M.S.*

,, farinaceum Pers. .."A form, evidently of this species, occurred at Beeston, in 1834." *Berk. Eng. Fl.* v., p. 159.

Caldesiella ferruginosa Sacc. Clumber Park and Birklands, *BM.S.*

Irpex obliquus Fr. .. ..Colwick Wood, Nov. 15th, 1898 ; *Carr.*

Radulum orbiculare Fr. ..Sherwood Forest, general, *B.M.S.*

,, quercinum Fr. ..Sherwood Forest, general, *B.M.S.*

Phlebia merismoides Fr. ..Sherwood Forest, general, *B.M.S.* Epperstone Park, Oct. 1897 ; Colwick Wood, Dec. 1898 ; *Carr.*

Grandinia granulosa Fr. ..Sherwood Forest, general, *B.M.S.*

Porothelium Stevensoni B & Br. Clumber Park, *B.M.S.*

Merulius lachrymans Fr. ..North Notts., *Bohler ; Friend.*

,, molluscus Fr. ..Thoresby demesne, *B.M.S.*

,, corium Fr. .. ..Sherwood Forest, general, *B.M.S.* North Notts., *Friend.* Colwick Wood, Nov. 1898 ; *Carr.* [prob. M. auriantiacus, *Bohler ?*]

Daedalea quercina Pers. ..Sherwood Forest, general, *B.M.S.* North Notts., *Bohler ; Friend.* (probably *Deering's* No. 17., p. 10).

,, unicolor Fr... ..Welbeck, *B.M.S.*

Trametes serpens Fr. .. ..Sherwood Forest, general, *B.M.S.*

Poria vaporaria Fr. .. ..Sherwood Forest, general, *B.M.S.* Bramcote; Epperstone Park; Colwick Wood; etc., *Carr.*

,, *vulgaris Fr.* .. ..North Notts., *Bohler ; Friend.*

,, medulla-panis Fr. ..Sherwood Forest, general, *B.M.S.* Colwick Wood, Dec. 1898; *Carr.*

,, hibernica B. & Br. ..Birklands, Sept. 1897 ; *C. B. Plowright.*

,, blepharistoma B. & Br. Sherwood Forest, general, *B.M.S.*

,, terrestris Fr. .. ..North Notts., *Bohler.*

,, purpurea Fr. .. ..North Notts., *Bohler ; Friend.*

Polystictus perennis Fr. ..Birklands, *B.M.S.* North Notts., *Bohler ; Friend.*

,, versicolor Fr. ..Sherwood Forest, general, *B.M.S.* North Notts., *Bohler ; Friend.* Wollaton ; Bramcote ; Epperstone Park ; Colwick Wood, etc., 1897–8 ; *Carr.* (Recorded for Nottingham by *Deering* (No. 14, p. 9), and Southwell by *Jowett*).

,, velutinus Fr. ..North Notts., *Bohler ; Friend.*

,, abietinus Fr. ..Thoresby demesne, *B.M.S.* North Notts., *Bohler ; Friend.*

Fomes lucidus Fr. .. ..Sherwood Forest, general, *B.M.S.* North Notts.. *Bohler ; Friend.*

,, ulmarius Fr. .. ..Sherwood Forest, general, *B.M.S.* North Notts., *Bohler ; Friend.* Colwick, 1897 ; *Carr.*

,, applanatus Wallr. ..Colwick Wood, December 12th, 1898 ; *Carr.*

,, connatus Fr. .. ..Welbeck Park and Birklands, *B.M.S.*

,, fomentarius Fr. ..Sherwood Forest, general, *B.M.S.* North Notts., *Bohler ; Friend.* (Colwick Wood, *Deering*, p. 9, No. 12).

,, igniarius Fr. .. ..North Notts., *Bohler ; Friend.* (Leenside, *Deering*, p. 6, No. 5).

,, salicinus Fr. .. ..North Notts., *Bohler ; Friend.*

,, fraxineus Fr. .. ..North Notts., *Bohler.* Very fine on Ash trees in Wellow Park ; *Friend.*

,, annosus Fr. .. ..Birklands, *B.M.S.*

,, conchatus Fr. .. ..North Notts., *Bohler ; Friend.*

Polyporus lentus Berk. .. ..Described from specimens found by Berkeley "on living *Ulex europaeus*, Beeston, Notts., September 1832." *Engl. Fl.* v., p. 134. North Notts., *Bohler ; Friend.*

,, rufescens Fr. ..Sherwood Forest, general, *B.M.S.*

,, squamosus Fr. ..Sherwood Forest, general, *B.M.S.* North Notts., *Bohler ; Friend.* Lenton Priory, on an old elm, April 1826, *Jowett.*

,, elegans Fr. ..North Notts., *Bohler ; Friend.*

,, giganteus Fr. ..Sherwood Forest, general, *B.M.S.* North Notts., *Bohler ; Friend.*

,, sulphureus Fr. ..Birklands, *B.M.S.* North Notts., *Friend.*

,, dryadeus Fr. ..Welbeck Park, *B.M.S.*

,, hispidus Fr. ..Thoresby demesne, *B.M.S.*

Polyporus *quercinus Fr.* ..North Notts., *Bohler ; Friend.*
,, betulinus Fr. ..Sherwood Forest, general, *B.M.S.* North Notts., *Bohler ; Friend.*
,, adustus Fr. ..Sherwood Forest, general, *B.M.S.* Colwick Wood : Strelley ; Epperstone Park ; 1897-8 ; *Carr.* Clifton, Notts., *Berkeley, Eng. Fl.*, v. 139.
,, caesius Fr... ..Birklands, *B.M.S.*
,, spumeus Fr. ..North Notts., *Bohler ; Friend.*
,, pallescens Fr. Clifton, Notts., *Berkeley, Eng. Fl.*, v. 141.
,, fragilis Fr... ..Thoresby, *B.M.S.*
,, armeniacus Berk Birklands, *B.M.S.*
Fistulina hepatica Fr. ..Sherwood Forest, general, *B.M.S.* North Notts., *Bohler ; Friend.* (*Deering*, No. 11., p. 8).
Boletus luteus L. .. ..Sherwood Forest, general, *B.M.S.* North Notts., *Bohler ; Friend*
,, elegans Schum. ..Sherwood Forest, general, *B.M.S.* North Notts., *Bohler ; Friend.*
,, flavus With. .. ..Welbeck and Thoresby estates, *B.M.S.* North Notts., *Bohler ; Friend.* Thurgarton, *Jowett.*
,, chrysenteron Fr. ..Sherwood Forest, general, *B.M.S.*
,, subtomentosus L. ..Sherwood Forest, general, *B.M.S.*
,, impolitus Fr. .. ..North Notts., *Friend.*
variecolor B. & Br ..Thoresby and Clumber, *B.M.S.*
,, castaneus Bull. ..Sherwood Forest, general, *B.M.S.*
,, badius L. .. ..Sherwood Forest, general, *B.M.S.*
,, piperatus Bull. ..Sherwood Forest, general, *B.M.S.* North Notts., *Bohler ; Friend.*
,, bovinus L. .. ..North Notts., *Bohler ; Friend.*
,, granulatus L. ..Sherwood Forest, general, *B.M.S.*
,, pachypus Fr. ..North Notts., *Friend.*
,, edulis Bull. .. ..Sherwood Forest, general, *B.M.S.* North Notts., *Bohler ; Friend.*
,, crassus Mass... ..Sherwood Forest, general, *B.M.S.* Aspley Woods, November 19th, 1898 ; *Carr.*
,, satanas Lenz... ..North Notts., *Bohler ; Friend.*
,, luridus Schæff. ..Sherwood Forest, general, *B.M.S.* North Notts., *Friend.*
,, luridus, var. erythropus Fr...Sherwood Forest, general, *B.M.S.*
,, felleus Bull. .. ..North Notts., *Bohler ; Friend.*
,, laricinus Berk. ..Sherwood Forest, general, *B.M.S.*
,, scaber Fr. .. ..Sherwood Forest, general, *B.M.S.* North Notts., *Bohler ; Friend.*
,, scaber var. aurantiacus Bull. Sherwood Forest, general, *B.M.S.*
,, versipellis Fr. ..Sherwood Forest, general, *B.M.S.*
Coprinus comatus Fr. ..Thoresby, *B.M.S.* North Notts., *Friend.* Nottingham, Colwick Wood, 1898 ; *Carr.* (prob. *Deering's* No. 9, p. 79).
,, atramentarius Fr. Welbeck and Thoresby, *B.M.S.* North Notts., *Bohler ; Friend.* Colwick, Strelley, 1897 ; Aspley Woods, Nov. 19th, 1898 ; *Carr.*
,, niveus Fr. .. ..Sherwood Forest, general, *B.M.S.* North Notts , *Bohler ; Friend.* Colwick, 1897 ; *Carr.*

Coprinus micaceus Fr. ..Sherwood Forest, general, *B.M.S.* North Notts., *Friend.* Nottingham, Colwick, Strelley, Aspley Woods ; *Carr.* (probably *Deering's* No. 22, p. 81).

,, *macrocephalus Fr.* ..North Notts., *Bohler.*

,, domesticus, Fr. ..North Notts., *Bohler; Friend.*

,, ephemerus Fr. ..Thoresby, *B.M.S.*

,, plicatilis Fr. ..Sherwood Forest, general, *B.M.S.* Old Rifle Range, Nottingham ; Colwick ; 1897 ; *Carr.*

Anellaria separata Karst. ..Sherwood Forest, general. *B.M.S.* Colwick Wood. Oct 1897 ; *Carr.*

,, fimiputris Karst. ..Sherwood Forest, general, *B.M.S.* Colwick, 1897; Nottingham, 1898 ; *Carr.* Notts., not rare ; *Jowett.*

Panaeolus papilionaceus Fr. Thoresby, *B.M.S.* Nottingham and Colwick meadows, 1897 ; *Carr.*

,, campanulatus L. Sherwood Forest, general, *B.M.S.* North Notts., *Bohler ; Friend.* Nottingham meadows ; Edwalton ; 1897-8 ; *Carr.*

Psathyrella gracilis Fr. ..Sherwood Forest, general, *B.M.S.* Colwick, 1897 ; Aspley Woods, 1898 ; *Carr.*

,, atomata Fr. ..Sherwood Forest, general, *B.M.S.* Nottingham, Arnold, Colwick, Edwalton, Langar ; *Carr.*

,, disseminata Pers. Sherwood Forest, general, *B.M.S.* Strelley, Nov. 1897 ; *Carr.*

Gomphidius glutinosus Schaeff... Sherwood Forest, general, *B.M.S.*

,, viscidus Fr. ..Sherwood Forest, general. *B.M.S.* North Notts., *Bohler ; Friend.*

Psathyra corrugis Pers. ..Sherwood Forest, general, *B.M.S.* Colwick, 1897 ; Edwalton, 1898 ; *Carr.*

,, semivestita B. & Br. Clumber Park, *B.M.S.*

Psilocybe semilanceata Fr. ..Welbeck and Thoresby, *B.M.S.* Nottingham Meadows, 1897 ; Edwalton, 1898 ; *Carr.*

,, semilanceata var. caerulescens Cke. Edwalton, Oct. 26th, 1898 ; *Carr.*

,, spadicea Fr. ..Welbeck and Thoresby, *B.M.S.*

,, foenisecii Pers. ..Thoresby, *B.M.S.*

Hypholoma sublateritium Schaeff... Sherwood Forest, general, *B.M.S.* North Notts., *Bohler ; Friend.* Colwick Wood, Wollaton, Bramcote, etc.; *Carr.*

,, fasciculare Huds. Sherwood Forest, general, *B M.S.* North Notts., *Bohler ; Friend.* Colwick, Bramcote, 1897 ; Aspley Woods, Nov. 1898 ; *Carr.* Notts., *Jowett.*

,, elaeodes Fr. ..Welbeck Park, *B.M.S.*

,, lachrymabundum Fr. ..North Notts., *Bohler; Friend.*

,, velutinum Pers... Sherwood Forest, general, *B.M.S.* North Notts., *Bohler; Friend.*

,, pyrotrichum Holmsk.. Sherwood Forest, general, *B.M.S.*

, appendiculatum Bull... Colwick, Strelley, 1897 ; Edwalton, 1898 ; *Carr.*

Hypholoma hydrophilum Bull...Sherwood Forest, general, *B.M.S.* Old Rifle Range, Nottingham; Wollaton, 1897; *Carr.*

Stropharia aeruginosa Curt...Sherwood Forest, general, *B.M.S.* North Notts., *Bohler; Friend.* Strelley, 1897; Colwick Wood, Aspley Woods, 1898; *Carr.*

" **albo-cyanea** Desm...Colwick Wood and Meadows, 1897; Edwalton, Aspley Woods, 1898; *Carr.*

" **inuncta** Fr. ..Old Rifle Range, Nottingham; Colwick, 1897; *Carr.*

" **coronilla** Bull. ..Sherwood Forest, general, *B.M.S.* Old Rifle Range, Nottingham, 1898; *Carr.*

" **squamosa** Fr. ..Sherwood Forest, general, *B.M.S.*

" **semiglobata** Batsch...Sherwood Forest, general, *B.M.S.* North Notts., *Bohler; Friend.* Nottingham and Colwick Meadows, Colwick Wood, Arnold, Edwalton, Epperstone; *Carr.* (Recorded by *Deering* and *Jowett*).

Agaricus campestris L. ..Sherwood Forest, general, *B.M.S.* North Notts., *Bohler; Friend.* Seen in many parts of the County; *Carr.* (Recorded by *Deering* and *Jowett*).

" **campestris** var. **silvicola** Vitt...Sherwood Forest, general, *B.M.S.* Budby, Sept. 1885; *Friend.*

" **arvensis** Schaeff ...Sherwood Forest, *B.M.S.* North Notts., *Bohler; Friend.* (Common in meadows, *Deering*).

" **silvaticus** Schaeff. ..Colwick Wood, Oct. 1897; *Carr.*

" **hæmorrhoidarius** Schulz..Sherwood Forest, general, *B.M.S.* Aspley Woods, Colwick Wood, Nov. 1898; *Carr.*

" **comptulus** Fr. ..Sherwood Forest, general, *B.M.S.*

" **xanthodermus** Genev...Sherwood Forest, general, *B.M.S.* Aspley Woods, Nov. 19th, 1898; *Carr.*

Paxillus involutus Fr. ..Sherwood Forest, general, *B.M.S.* North Notts., *Bohler; Friend.*

" **atro-tomentosus** Fr. North Notts., *Bohler; Friend.*

Cortinarius (Hygrocybe) **leucopus** Bull. Woods in North Notts., *Friend.*

" " **obtusus** Fr. ..Sherwood Forest, general, *B.M.S.*

" (Telamonia) **hinnuleus** Fr...Sherwood Forest, general, *B.M.S.*

" " **flexipes** Fr. ..Sherwood Forest, general, *B.M.S.*

" " **hemitrichus** Fr. ..Thoresby, *B.M.S.*

" " **rigidus** Fr. ..Sherwood Forest, general, *B.M.S.*

" (Dermocybe) **caninus** Fr. ..Sherwood Forest, general, *B.M.S.*

" " **lepidopus** Cke Sherwood Forest, general, *B.M.S.*

" " **sanguineus** Fr. North Notts., *Bohler; Friend.*

" (Inoloma) **violaceus** L. ..North Notts., *Bohler; Friend.*

" " **alboviolaceus** Fr. ..Sherwood Forest, general, *B.M.S.*

" " **pholideus** Fr. North Notts., *Bohler; Friend.*

" (Myxacium) **elatior** Fr. ..Sherwood Forest, general, *B.M.S.* North Notts., *Friend.*

Cortinarius (Phlegmacium) varius Fr. ..North Notts., *Bohler; Friend.*
,, ,, caerulescens Fr. ..North Notts., *Bohler; Friend.*
,, ,, purpurascens Fr. ..Sherwood Forest. general, *B.M.S.*
Tubaria furfuracea Pers. ..Sherwood Forest, general *B.M.S.* Nottingham, Colwick, Edwalton, Bramcote; *Carr.*
Flammula carbonaria Fr. ..Sherwood Forest, general, *B.M.S.*
,, flavida Schæff. ..Colwick, October 1898; *Carr.*
,, inopoda Fr. ..Thoresby, *B.M.S.*
,, sapinea Fr. ..Welbeck, *B M.S.*
,, picrea Fr. .. ..Sherwood Forest, general, *B.M.S.*
Galera tenera Schæff .. ..Sherwood Forest, general, *B.M.S.* Old Rifle Range, Nottingham; Colwick; Edwalton; *Carr.*
,, hypnorum Batsch. ..Sherwood Forest, general, *B.M.S.* Edwalton, Oct., 1898; *Carr.*
,, mniophila Lasch. ..Thoresby, *B.M.S.*
Naucoria melinoides Fr. ..Old Rifle Range, Nottingham, Nov., 1897; *Carr.*
,, badipes Fr. ..Sherwood Forest, general, *B.M.S.* Colwick Wood, Nov. 10th, 1898; *Carr.*
,, escharoides Fr. ..Thoresby, *B M.S.*
Hebeloma fastibile Fr. ..Sherwood Forest, general, *B.M.S.*
,, mesophæum Fr. ..Sherwood Forest, general, *B.M.S.*
,, crustuliniforme Bull. Sherwood Forest, general, *B M.S.*
Inocybe pyriodora Pers. ..Sherwood Forest, general, *B.M.S.* Winkbourn, *Berkeley, Engl. Fl.*, v. p. 96.
,, incarnata Bres. ..Sherwood Forest, general, *B.M.S.*
,, flocculosa Berk. ..Described by Berkeley from specimens found by him at Barnby-in-the-Willows, Notts. See *Engl. Fl.*, v. p. 97.
,, rimosa Bull. .. ..Sherwood Forest. general, *B.M.S.*
,, asterospora Quel. ..Sherwood Forest, general, *B.M S.*
,, eutheles B. & Br. ..Bramcote, 1897; *Carr.*
,, geophylla Fr. ..Sherwood Forest, general, *B.M.S.*
Bolbitius fragilis Fr... ..Old Rifle Range, Nottingham, Nov. 2nd, 1897. *Carr.*
Pholiota præcox Pers. ..North Notts., *Bohler; Friend.* Colwick Wood. November 10th, 1898; *Carr.*
,, radicosa Bull. ..Sherwood Forest, general, *B.M.S.* Colwick, November 10th, 1897; *Carr.*
,, pudica Fr. .. ..North Notts., *Bohler; Friend.*
,, aurivella Batsch. ..Welbeck Park, *B.M.S.*
,, spectabilis Fr. ..Welbeck Park *B.M.S.*
,, adiposa Fr. .. ..Birklands, *B.M S.*
,, mutabilis Schæff. ..Sherwood Forest, general, *B.M.S.*
,, marginata Batsch. ..Colwick, November 10th, 1897; *Carr.*
,, unicolor Fl. Dan. ..Birklands, *B.M.S.*
Claudopus variabilis Pers. ..Thoresby, *B.M.S.* Colwick and Aspley Woods, Nov. 15-19, 1898; *Carr.*
Clitopilus prunulus Scop. ..Sherwood Forest, general, *B.M.S.*
,, orcella Bull. ..Sherwood Forest, general, *B.M.S.*
,, mundulus Lasch. ..Thoresby, *B.M.S.*
Leptonia lampropoda Fr. ..Sherwood Forest, general, *B.M.S.*
,, serrulata Fr. ..Thoresby, *B.M.S.*
,, chloropolius Fr ..Clumber Park, *B.M.S.*
,, formosa Fr... ..Thoresby, *B.M.S.*

Nolanea pascua Pers. .. ..Sherwood Forest, general, *B.M.S.* Colwick, Granby, 1897 ; *Carr.*
,, nigripes Trog. ..Budby Carr, *B.M.S.*
Entoloma prunuloides Fr. ..North Notts., *Bohler ; Friend.*
,, jubatum Fr... ..Colwick, Nov. 1897 ; *Carr.*
,, sericellum Fr. ..Sherwood Forest, general, *B.M.S.* Aspley and Colwick Woods, Nov. 1898 ; *Carr.*
,, majale Fr. .. ..Thoresby, *B.M.S.*
,, costatum Fr. ..Sherwood Forest, general, *B.M.S.*
,, sericeum Fr. ..Sherwood Forest, general, *B.M.S.* Nottingham, Arnold, Colwick, 1897 ; *Carr.*
,, nidorosum Fr. ..Thoresby, *B.M.S.*

Entoloma hirtophyllum was stated in *Nature*, Oct. 14th. 1897, to have been found in Budby Carr on Sept. 15th, 1897, by the members of the British Mycological Society. No mention of it, however, is made in the Annual Report of the Society for 1897 ; and on inquiring the reason for the omission I was informed by the Secretary that the species was probably wrongly indentified, and that there was considerable doubt as to what it really was. This species must therefore be struck out of our list.

Pluteus cervinus Schaeff. ..Sherwood Forest, general, *B.M.S.* Strelley, 1897 ; Colwick, 1898 ; *Carr.*
,, cervinus var. patricius Schulz. Welbeck and Birklands, *B.M.S.*
,, cervinus var. eximius Saund. & Smith. Welbeck and Clumber Parks, *B.M.S.*
Volvaria speciosa Fr. ..North Notts., *Bohler ; Friend.* Colwick Wood, Oct 1897 ; *Carr.*
,, gloiocephala DC. ..Old Rifle Range, Nottingham, Nov. 2nd 1897 ; *Carr.*
Lenzites betulina Fr... ..Sherwood Forest, general, *B.M.S.* North Notts., *Bohler ; Friend.* (Probably *Deering's* No. 16, p. 10).
,, flaccida Fr. .. ..Sherwood Forest, general, *B.M.S.*
Panus stypticus Fr. .. ..Sherwood Forest, general, *B.M.S.* North Notts., *Bohler ; Friend.* (Probably *Deering's* No. 18, p. 10).
Lentinus cochleatus Fr. ..Sherwood Forest, general, *B.M.S.*
Cantharellus cibarius Fr. ..Sherwood Forest, general, *B.M.S.* North Notts., *Bohler ; Friend.* (? *Deering's* No. 3, p. 78).
,, aurantiacus Fr. Sherwood Forest, general, *B.M.S.* North Notts., *Bohler ; Friend.*
,, carbonarius Fr. Sherwood Forest, general, *B.M.S.*
,, umbonatus Fr. North Notts., *Bohler ; Friend.*
,, infundibuliformis Fr ..Sherwood Forest, general, *B.M.S.* North Notts., *Bohler ; Friend.*
,, retirugus Fr. ..Birklands, *B.M.S.*
Nyctalis parasitica Fr. ..Sherwood Forest, general, *B.M.S.* North Notts., *Bohler ; Friend.*
,, asterophora Fr. ..North Notts., *Friend.*
Hygrophorus (Hygrocybe) ceraceus Wulf. Colwick, Nov. 1897 ; *Carr.*
,, ,, coccineus Schaeff. ..Birklands, *B.M.S.* North Notts., *Bohler ; Friend.* Epperstone Park ; Colwick ; 1897 ; *Carr.*
,, ,, miniatus Fr. ..Sherwood Forest, general, *B.M.S.* Colwick, 1897 ; Aspley, 1898 ; *Carr.*
,, ,, puniceus Fr. ..Epperstone Park, Oct. 1897 ; *Carr.*

Hygrophorus(Hygrocybe) conicus Fr. ..Sherwood Forest, general, *B.M.S.* Old Rifle Range, Nottingham, Nov. 2nd, 1897; *Carr.*

,, ,, chlorophanus Fr...Sherwood Forest, general, *B.M.S* Epperstone Park; Colwick; 1897; *Carr.*

,, ,, psittacinus Schaeff...Sherwood Forest, general, *B.M.S.* North Notts., *Bohler; Friend.* Nottingham, Colwick, Epperstone, Calverton, 1897; Aspley, 1898; *Carr.*

Hygrophorus(Camarophyllus) nemoreus Fr.Colwick, Nov. 1897; *Carr.*

,, ,, pratensis Fr.Aspley, Nov. 19th, 1898; *Carr.* North Notts., *Bohler; Friend.*

,, ,, virgineus Wulf. ..Welbeck Park. *B.M.S.* Old Rifle Range, Nottingham: Granby; Epperstone Park; 1897; *Carr.*

,, ,, niveus Fr. ..North Notts., *Bohler; Friend.* Old Rifle Range, Nottingham; Aspley; Colwick; Granby; *Carr,*

,, ,, ovinus Bull. ..Sherwood Forest. general, *B.M.S.* Nottingham Meadows. Nov. 1897; *Carr.*

Hygrophorus (Limacium) eburneus Bull...N. Notts., *Bohler; Friend.*

,, ,, cerasinus Berk.. Founded upon specimens found by Berkeley in a Fir plantation at Winkbourn, Notts., October 15th, 1833. (*Berk. Eng. Fl.* v.. p. 12.)

Pleurotus dryinus Pers. ..North Notts., *Friend.*

,, ostreatus Jacq. ..Old Rifle Range, Nottingham, October 10th, 1898; Colwick Wood, December 4th, 1898; *Carr.*

Omphalia hydrogramma Fr. Colwick, November 11th, 1897; *Carr.*

,, pyxidata Bull. ..Sherwood Forest, general, *B.M.S.*

,, campanella Batsch, var. badipus Fr.Winkbourn, Notts., *Berkeley, Eng. Fl.* v., p. 66.)

,, grisea Fr. .. ..Old Rifle Range, Nottingham, November 1897; *Carr.*

,, fibula Bull. .. ..Sherwood Forest, general, *B.M.S.*

,, fibula var. Swartzii Fr. ..Welbeck Park, *B.M.S.*

Clitocybe nebularis Batsch...Sherwood Forest, general, *B.M.S.* North Notts., *Bohler; Friend.* Strelley, 1897; *Carr.*

,, clavipes Pers. ..Sherwood Forest. general, *B.M.S.*

,, odora Sow. .. ..Birklands, *B.M.S.*

,, cerrusata Fr. ..Arnold, Colwick, 1897; Colwick Wood, 1898; *Carr.*

,, candicans Pers. ..Colwick Wood, 1897; Edwalton, 1898; *Carr.*

Clitocybe dealbata Sow. ..North Notts., *Friend.* Colwick Wood, November 10th, 1898; *Carr.*
,, gallinacea Scop. .."Hills and Holes," Warsop, December 1898; *Carr.*
,, decastes Fr. ..Thoresby Park, *B.M.S.*
,, fumosa Pers. ..Birklands. *B.M.S.* The Cheverill, near Hockerton, *Berkeley, Eng. Fl.* v. p. 35. Nottingham, 1897-8; *Carr.*
,, gigantea Sow. ..Thoresby, *B.M.S.* Wollaton, *Berkeley, Eng. Fl.* v., p. 33.
,, infundibuliformis Schaeff...Sherwood Forest, general, *B.M.S.* North Notts., *Bohler; Friend.*
,, incilis Fr. .. ..Clumber and Thoresby Parks, *B.M.S.*
,, geotropa Bull. ..Thoresby, *B.M.S.* North Notts., *Friend.*
,, tuba Fr. .. .. Clumber, *B.M.S.*
,, cyathiformis Bull..Welbeck, *B.M.S.* Warsop ("Hills and Holes"), Dec. 1898; *Carr.*
,, brumalis Fr. ..Bramcote, Oct. 1897; *Carr.*
,, fragrans Sow. ..Thoresby, *B M.S.* Nottingham, Colwick, Bramcote, Aspley Woods, 1897-8; *Carr.*
,, Sadleri Berk. ..Thoresby Park, *B.M.S*
Laccaria laccata Scop. ..Welbeck, Thoresby, Birklands, *B.M.S.* Bramcote, 1897; *Carr.*
Lactarius torminosus Schaeff. ..Sherwood Forest, general, *B.M.S.* Clifton and Lambley, *Berkeley, Eng. Fl.* v. p. 24.
,, turpis Fr. .. ..Sherwood Forest, general, *B.M.S.*
,, insulsus Fr. ..North Notts., *Friend.*
,, blennius Fr. ..Sherwood Forest, general *B M.S.* Beeston, *Berkeley, Eng. Fl.* v. p. 26.
,, trivialis Fr. ..North Notts., *Bohler; Friend.*
,, chrysorrheus Fr..Sherwood Forest, general, *B.M.S.*
,, acris Fr. .. ..Birklands, *B.M.S.* North Notts., *Friend.*
,, piperatus Fr. ..Sherwood Forest. general, *B.M.S.* North Notts., *Bohler; Friend.*
,, vellereus Fr. ..Sherwood Forest, general, *B.M.S.*
,, deliciosus Fr. ..Sherwood Forest. general, *B.M.S.* North Notts., *Bohler; Friend.*
,, pallidus Fr. ..Sherwood Forest. general, *B.M.S.*
,, quietus Fr. ..Sherwood Forest, general, *B.M.S.* Epperstone Park, October 26th, 1897; *Carr.*
,, aurantiacus Fr. ..Thoresby Park, *B.M.S.*
,, theiogalus Bull. ..North Notts., *Bohler; Friend.*
,, rufus Scop. .. ..Sherwood Forest, general, *B.M.S.*
,, glyciosmus Fr. ..Sherwood Forest. general, *B.M.S.*
,, fuliginosus Fr. ..Sherwood Forest, general, *B.M.S.*
,, serifluus Fr. ..Sherwood Forest, general, *B.M.S.*
,, mitissimus Fr. ..Thoresby, *B.M.S.*
,, subdulcis Fr. ..Sherwood Forest, general, *B.M.S.*
,, camphoratus Fr..Welbeck, *B.M.S.*
Russula integra Fr. .. ..Sherwood Forest, general, *B M.S.*
,, *vitellina Fr.* .. ..North Notts., *Bohler; Friend.*
,, lutea Fr. .. ..Sherwood Forest. general, *B M.S.* North Notts., *Bohler; Friend.* Old Rifle Range, Nottingham, Nov. 1897; *Carr.*
,, nitida Fr. .. ..Sherwood Forest, general, *B.M.S.*

Russula nitida var. cuprea Cke. ..Sherwood Forest. general, *B.M.S.*
,, aurata Fr. .. ..North Notts., *Friend.*
,, puellaris Fr. ..Sherwood Forest, general, *B.M.S.*
,, nigricans Fr. ..Sherwood Forest, general, *B.M.S.* North Notts., *Bohler; Friend.*
,, adusta Fr. .. ..Sherwood Forest, general, *B.M.S.* North Notts., *Bohler; Friend.*
,, delica Fr. .. ..Sherwood Forest, general, *B M.S.* North Notts.. *Bohler; Friend.*
,, heterophylla Fr. ..Birklands, *B.M.S.* North Notts., *Bohler; Friend.*
,, azurea Bres. ..Sherwood Forest, *B.M.S.*
,, virescens Fr. ..Sherwood Forest, general, *B.M.S.* North Notts., *Bohler; Friend.*
,, furcata Fr. .. ..Sherwood Forest, general, *B.M.S.*
,, lepida Fr. .. ..Sherwood Forest, general, *B.M.S.*
,, vesca Fr. .. ..Sherwood Forest, general, *B.M.S.*
,, depallens Fr.. ..Sherwood Forest, general, *B.M.S.*
,, cyanoxantha Schaeff ..Sherwood Forest, general, *B.M.S.*
,, fellea Fr. .. ..Sherwood Forest, general, *B.M.S.*
,, rubra Fr. ..Welbeck and Thoresby, *B.M.S.*
,, drimeia Cke. ..Sherwood Forest, general, *B M.S.*
,, ochroleuca Fr. ..Sherwood Forest, general, *B.M.S.* North Notts., *Bohler; Friend.*
,, granulosa Cke. ..Sherwood Forest, general, *B.M.S.* Epperstone Park; Strelley; 1897; *Carr.*
,, foetens Fr. ..Sherwood Forest, general, *B.M.S.*
,, consobrina Fr. ..Sherwood Forest, general, *B.M.S.*
,, consobrina var. sororia Fr. ..Birklands, *B.M.S.*
,, sardonia Fr. ..Sherwood Forest, general, *B.M.S.*
,, emetica Fr. ..Sherwood Forest, general, *B.M.S.* North Notts., *Bohler; Friend.*
,, rosacea Fr. ..Sherwood Forest, general, *B.M.S.*
,, sanguinea Fr. ..North Notts., *Bohler; Friend.*
,, fragilis Fr. ..Sherwood Forest, general, *B.M.S.* North Notts., *Bohler; Friend.*
,, fragilis var. nivea Cke. ..Sherwood Forest, general, *B.M.S.*
,, fragilis var. violacea Quel. ..Sherwood Forest, general, *B.M.S.*
,, fragilis var. fallax (Cke.) ..Sherwood Forest, general, *B.M.S.*
Mycena capillaris Fr. ..Sherwood Forest, general, *B.M.S.*
,, rorida Fr. ..Lambley, *Berkeley, Eng. Fl.* v., p. 30*.
,, vulgaris Pers. ..North Notts., *Bohler; Friend.*
,, epipterygia Scop. ..Sherwood Forest, general, *B.M.S.*
,, galopoda Fr. ..Sherwood Forest, general, *B.M.S.* Beeston, *Berkeley, Eng. Fl.* v., p. 58.
,, sanguinolenta A. & S. ..Sherwood Forest, general, *B.M.S.* Beeston, *Berkeley, Eng. Fl.* v., p. 59.
,, vitilis Fr. ..Aspley Woods, Nov. 19th, 1898; *Carr.*
,, amicta Fr. ..Sherwood Forest, general, *B.M.S.*
,, iris Berk. ..Founded upon specimens collected by Berkeley at Clifton, Notts. (*Engl. Fl.* v., p. 56). Clumber Park, *B.M.S.*

Mycena filopes Bull. ..Winkbourn, *Berkeley, Engl. Fl.* v., p. 56. Colwick Wood, Oct. 1897; *Carr.*

,, **paupercula** Berk. ..Founded upon specimens collected by Berkeley at Clifton, Notts., September 20th, 1832. (*Engl. Fl.* v., p. 57).

,, **alcalina** Fr. ..Sherwood Forest, general, *B.M.S.* Nottingham, Colwick, Wollaton, Edwalton, 1897-8; *Carr.*

,, **ammoniaca** Fr. ..Welbeck, *B.M.S.*

,, **stanneus** Fr. ..Colwick, November 1897; *Carr.*

,, **vitrea** Fr. ..Thoresby demesne, *B.M.S.*

,, **rugosa** Fr. ..Sherwood Forest, general, *B.M.S.* Colwick and Aspley Woods, Strelley, Bramcote Kirkby in-Ashfield, Edwalton, 1897-8; *Carr.*

,, **galericulata** Scop. ..Sherwood Forest, general, *B.M.S.* Nottingham Colwick and Aspley Woods, Wollaton, Bramcote, Edwalton, Epperstone Park, 1897–8; *Carr.*

,, **polygramma** Bull. ..Sherwood Forest, general, *B.M.S.* Bramcote, Epperstone Park, 1897; Aspley Woods, November 1898; *Carr.*

,, **lactea** Pers. ..Beeston, *Berkeley, Engl. Fl.* v., p. 60.

,, **luteoalba** Bolt. ..Sherwood Forest, general, *B.M.S.*

,, **flavoalba** Fr. ..Nottingham Meadows and Old Rifle Range, November 1897; *Carr.*

,, **pura** Pers. ..Sherwood Forest, general, *B.M.S.* Colwick Wood, October 21st, 1898; *Carr.*

Collybia radicata Relh. ..Sherwood Forest, general, *B.M.S.* Colwick, November 10th, 1897; *Carr.*

,, **longipes** Bull. ..North Notts., *Bohler; Friend.*

,, **platyphylla** Fr. . Sherwood Forest, general, *B.M.S.*

,, **fusipes** Bull. ..Sherwood Forest, general, *B.M.S.* North Notts.. *Friend.*

,, **maculata** A. & S. ..Sherwood Forest, general, *B.M.S.*

,, **butyracea** Bull. ..Birklands, *B.M.S.* Beeston, *Berkeley, Engl. Fl.* v., p 46. Colwick Wood, November 10th, 1898; *Carr.*

,, **velutipes** Fr. ..North Notts., *Bohler; Friend.* Colwick, Aspley, Bramcote, Strelley, Calverton, etc., 1897–8; *Carr.*

,, **vertiruga** Cooke ..Clumber Park and Birklands, *B.M.S.*

,, **confluens** Pers. ..Sherwood Forest, general, *B.M.S.* Beeston, *Berkeley, Engl. Fl.* v., p. 26.

,, **conigena** Pers. ..Beeston, *Berkeley, Engl. Fl.* v., p. 50.

,, **tuberosa** Bull. ..Sherwood Forest, general, *B.M.S.*

,, **nummularia** Bull. ..Thoresby, *B.M.S.*

,, **tenacella** Pers. ..Lambley, *Berkeley, Eng. Fl.* v., p. 50.

,, **acervata** Fr. ..Sherwood Forest, general, *B.M.S.*

,, **dryophila** Bull. ..Sherwood Forest, general, *B.M.S.* North Notts., *Friend.*

,, **ambusta** Fr. ..Colwick, November 10th, 1897; *Carr.*

Marasmius peronatus Fr. ..Sherwood Forest, general, *B.M.S.* North Notts., *Bohler; Friend.* Colwick Wood, November 10th, 1898; *Carr.*

,, **oreades** Fr. ..Sherwood Forest, general, *B.M.S.* North Notts., *Bohler; Friend.* Nottingham, Colwick, Edwalton, 1897-98; *Carr.* (About Nottingham, *Jowett*, 1826).

Marasmius erythropus Fr. ..Sherwood Forest, general, *B.M.S.*
,, calopus Fr. ..Sherwood Forest, general, *B.M.S.*
,, *Vaillantii Fr.* ..North Notts., *Bohler; Friend.*
,, ramealis Fr. ..Sherwood Forest, general, *B.M.S.*
,, rotula Fr. ..Welbeck, *B.M.S.*
,, androsaceus Fr. Sherwood Forest, general, *B.M.S.* North Notts., *Friend.*
,, insititius Fr. ..Clumber, *B.M.S.*
,, epiphyllus Fr. ..Sherwood Forest, general, *B.M.S.* North Notts., *Friend.*

Tricholoma albobrunneum Pers. ..The Camp or Plain Piece, near Worksop, September 1885; *Friend.*
,, rutilans Schæff. ..Sherwood Forest, general, *B.M.S.* Plain Piece, near Worksop, September 1885; *Friend.*. (Morton Holt, *Jowett*, 1826).
,, columbetta Fr...Plain Piece, Worksop, Sept. 1885; *Friend.*
,, imbricatum Fr...Beeston, 1832-3, *Berkeley, Engl Fl.* v., p. 17.
,, terreum Schæff. Sherwood Forest, general, *B.M.S.*
,, saponaceum Fr. Sherwood Forest, general, *B.M.S.*
,, cuneifolium Fr. .Old Rifle Range, Nottingham, November 1897; *Carr.*
,, crassifolium Berk. ..Winkbourn, Notts, October 15th, 1833. *Berkeley, Engl. Fl.* v., p. 16. (as *T. pachyphyllum*).
,, sulphureum Fr. North Notts., *Bohler; Friend.*
,, carneum Bull. ..Sherwood Forest, general, *B.M.S.*
,, album Schæff. . Plain Piece, Worksop, Sept. 1885; *Friend.*
,, personatum Fr. North Notts., *Friend.* Colwick, Epperstone Park, 1897-8: *Carr.* (Notts., *Jowett;* and probably *Deering's* No. 8, p 79).
,, nudum Bull. ..Sherwood Forest, general, *B.M.S.* North Notts., *Friend.* Nottingham, Colwick, 1897-8; *Carr.*
,, panæolum Fr. ..Sherwood Forest, general, *B.M.S.*
,, melaleucum Pers. Sherwood Forest, general, *B.M.S.* Granby, October 1897; *H. Fisher.*
,, melaleucum var. polioleucus Fr. Colwick Wood, November 10th, 1898; *Carr.*
,, sordidum Fr. ..Colwick, November 1897; Edwalton, October 26th, 1898; *Carr.*

Armillaria mellea Vahl. ..Sherwood Forest, general, *B.M.S.* Sparken Hill, Worksop, October 1886; *Friend.* Nottingham, Colwick, Wollaton, Epperstone Park, 1897-8; *Carr.*
,, mucida Schrad. ..Thoresby Park and Birklands, *B.M.S.*

Lepiota prominens Viv. ..Welbeck Park and Birklands, *B.M.S.* Colwick Wood, Nov. 10th, 1898; *Carr.*
,, procera Scop. ..Sherwood Forest, general, *B.M.S.* Colwick Wood, November 20th, 1898; *Carr.*
,, procera var. rachodes Mass...Thoresby, *B.M.S.* Colwick and Aspley Woods, November 1898; *Carr.*
,, procera var. puellaris Mass...Thoresby, *B.M.S.*
,, gracilenta Kromb. ..North Notts., 1885; *Friend.*
,, felina Pers. ..Welbeck and Clumber Parks, *B.M.S.*

Lepiota metulæspora B. & Br. Clumber Park, *B.M.S.*
,, **cristata** A. & S. ..Sherwood Forest, general, *B.M.S.* Aspley Woods, November 19th, 1898 ; *Carr.*
,, **carcharias** Pers. ..Birklands, *B.M.S.*
,, **granulosa** Batsch. ..Sherwood Forest, general, *B.M.S.*
Amanitopsis vaginata Roze. Sherwood Forest, general, *B.M.S.* Plentiful at Budby, Sept. 14th, 1885 ; *Friend.*
,, **vaginata** var. **fulva** Schæff. Birklands. *B.M.S.*
Amanita recutita Fr. ..Clumber Park and Birklands, *B.M.S.*
,, **phalloides** Fr. ..Sherwood Forest, general, *B.M.S.* ; *Bohler.* Budby and Worksop, September 1885-6; *Friend.*
,, **mappa** Fr. ..Sherwood Forest, general, *B.M.S.*
,, **pantherina** Fr. ..Welbeck and Thoresby, *B.M.S.* North Notts , *Bohler.*
,, **muscaria** Fr. ..Sherwood Forest, general, *B.M.S.* ; *Bohler* ; *Friend.* Harlow and Thieves' Woods, 1897 ; *Carr.*
,, **rubescens** Fr. ..Sherwood Forest, general, *B.M.S.* ; *Bohler.*
,, **nitida** Fr. ..Birklands, *B.M S.*